


COTRON



*CATALOGUE
2004*

NINGBO COTRON INDUSTRY CO., LTD.

<< SUB WOOF >>

"Sound quality with a VS-10 Punch" is the best way to describe the VS-10 line of woofers. If you listen to many different styles of music that require your system to reproduce not only tight accurate bass, but loud sound rounding bass. This is the woofer for you. We are using a spun aluminum cone for deep accurate bass and a large motor structure for high power handling to give you every thing you need.



COMMON FEATURES:

- Dual 4 ohms high temperature TIL voice coil
- Die cast aluminum basket
- Black wrinkle finish with diamond cut
- Spun aluminum cone
- Aluminum rear shield cup
- Large rubber surround
- One piece 360 rubber gasket
- Gold screw terminals

VSW04-1510

- 1000 watts power handling
- 100 OZ strontium magnet
- 2.5" 4-layer TIL voice coil
- Frequency response: 23-700Hz
- Sensitivity: 91dB
- Mounting depth: 7.0"

VSW04-1210

- 800 watts power handling
- 100 OZ strontium magnet
- 2" 4-layer TIL voice coil
- Frequency response: 30-1000Hz
- Sensitivity: 92dB
- Mounting depth: 5.7"


VSW04-1010

- 600 watts power handling
- 100 OZ strontium magnet
- 2" 4-layer TIL voice coil
- Frequency response: 33-1500Hz
- Sensitivity: 91dB
- Mounting depth: 5.5"

ERS

<<

<<



"Sound quality with a VS-11 Punch" is the best way to describe the VS-11 line of woofers. If you listen to many different styles of music that require your system to reproduce not only tight accurate bass, but loud sound rounding pass. This is the woofer for you. We are using a spun aluminum cone for deep accurate bass and a large motor structure for high power handling to give you every thing you need.



COMMON FEATURES:

- Die cast aluminum basket
- Aluminum rear shield cup
- 2 foam surround and non-pressed paper cone
- Dual 4 ohms high temperature TIL voice coil
- One piece 360 rubber gasket
- Chrome finish terminals

VSW04-1211

- 800 watts power handling
- 100 OZ strontium magnet
- 2.5" 4-layer TIL voice coil
- Frequency response: 26-1000Hz
- Sensitivity: 92dB
- Mounting depth: 6.7"

VSW04-1011

- 600 watts power handling
- 100 OZ strontium magnet
- 2" 4-layer TIL voice coil
- Frequency response: 30-1500Hz
- Sensitivity: 93dB
- Mounting depth: 5.9"

<< SUBWOOF >>



VSW04-1509

- 15" High power subwoofer.
- Black wrinkle finish die cast aluminum basket
- Massive 220 OZ, double stacked strontium magnet
- 2" large rubber surround and laminated glass fiber composite / pulp cone
- 3" 4-layer high temperature glass fiber TIL voice coil
- Impedance: 2 x 4 Ohms
- Power handling: 1000 watts R.M.S.
- Frequency response: 20-700 Hz
- Sensitivity: 94.8dB
- Gold screw terminals
- Mounting depth: 8.5"

VSW04-1209

- 12" High power subwoofer.
- Black wrinkle finish die cast aluminum basket
- Massive 180 OZ, double stacked strontium magnet
- 2" large rubber surround and laminated glass fiber composite / pulp cone
- 3" 4-layer high temperature glass fiber TIL voice coil
- Impedance: 2 x 4 Ohms
- Power handling: 800 watts R.M.S.
- Frequency response: 23-700 Hz
- Sensitivity: 92.9dB
- Gold screw terminals
- Mounting depth: 6.5"

VSW04-1009

- 10" High power subwoofer.
- Black wrinkle finish die cast aluminum basket
- Massive 180 OZ, double stacked strontium magnet
- 2" large rubber surround and laminated glass fiber composite / pulp cone
- 3" 4-layer high temperature glass fiber TIL voice coil
- Impedance: 2 x 4 Ohms
- Power handling: 600 watts R.M.S.
- Frequency response: 25-700 Hz
- Sensitivity: 91.7dB
- Gold screw terminals
- Mounting depth: 6.18"



VSW04-1007

- 10" Subwoofer
- Rubber Edge / IMPP Cone
- 500 Watts Max / 2" 4-Layer KSV
- 2 x 40 OZ Magnet / 4 (8) Ohm
- 45Hz-4KHz / 89dB

VSW04-1207

- 12" Subwoofer
- Rubber Edge / IMPP Cone
- 500 Watts Max / 2" 4-Layer KSV
- 2 x 40 OZ Magnet / 4 (8) Ohm
- 40Hz-3.5KHz / 90dB

VSW04-1508

- 15" Subwoofer
- Rubber Edge / Glass Fiber Cone
- 800 Watts Max / 3" 4-Layer KSV
- 2 x 65 OZ Magnet / 4 (8) Ohm
- 45Hz-3KHz / 90dB

VSW04-1208

- 12" Subwoofer
- Rubber Edge / Glass Fiber Cone
- 600 Watts Max / 2.5" 4-Layer KSV
- 2 x 50 OZ Magnet / 4 (8) Ohm
- 50Hz-3.5KHz / 90dB

VSW04-1008

- 10" Subwoofer
- Rubber Edge / Glass Fiber Cone
- 500 Watts Max / 2" 4-Layer KSV
- 2 x 45 OZ Magnet / 4 (8) Ohm
- 55Hz-3.8KHz / 89dB



<< SUBWOOF >>



VSW04-1001

- 10" Subwoofer
- Rubber Edge / Aluminum Cone
- 600 Watts / 2" 4-Layer KSV
- 65 OZ Magnet / 4 (8) Ohm
- 35Hz -2000Hz / 92dB

VSW04-1201

- 12" Subwoofer
- Rubber Edge / Aluminum Cone
- 800 Watts / 2" 4-Layer KSV
- 120 OZ Magnet / 4 (8) Ohm
- 25Hz-2000Hz / 92dB



VSW04-1002

- 10" Subwoofer
- Rubber Edge / Honey Comb Cone
- 600 Watts Max / 2" 4-Layer KSV
- 2 X 50 OZ Magnet / 4 (8) Ohm
- 35Hz-2500Hz / 93dB

VSW04-1202

- 12" Subwoofer
- Rubber Edge / Honey Comb Cone
- 800 Watts Max / 2" 4-Layer KSV
- 2 x 50 OZ Magnet / 4 (8) Ohm
- 25Hz-2500Hz / 94dB

VSW04-1204

- 12" Subwoofer
- Rubber Edge / IMPP Cone
- 500 Watts Max / 2" 4-Layer ASV
- 2 X 40 OZ Magnet / 4 (8) Ohm
- 30Hz-2500Hz / 93dB



VSW04-1004

- 10" Subwoofer
- Rubber Edge / IMPP Cone
- 400 Watts / 2" 4-Layer ASV
- 2 X 40 OZ Magnet / 4 (8) Ohm
- 35Hz-3000Hz / 92dB



VSW04-1203

- 12" Subwoofer
- Rubber Edge / PP Cone
- 400 Watts Max / 2" KSV
- 50 OZ Magnet / 4 (8) Ohm
- 35Hz-2000Hz / 92dB

VSW04-1003

- 10" Subwoofer
- Rubber Edge / PP Cone
- 300 Watts Max / 2" KSV
- 50 OZ Magnet / 4 (8) Ohm
- 45Hz-3000Hz / 90dB

<< SUBWOOF >>



VSW04-1007


- 10" Subwoofer
- Foam Edge / Non-press Cone
- 500 Watts Max / 2" 4-Layer KSV
- 2 x 30 OZ Magnet / 4 (8) Ohm
- 35Hz-2500Hz / 92dB

VSW04-1207

- 12" Subwoofer
- Foam Edge / Non-press Cone
- 800 Watts Max / 2" 4-Layer KSV
- 2 x 40 OZ Magnet / 4 (8) Ohm
- 28Hz-2000Hz / 92dB

VSW04-8006

- 8" Subwoofer
- Rubber Edge / IMPP Cone
- 200 Watts Max / 1.5" ASV
- 30 OZ Magnet / 4 (8) Ohm
- 45Hz-3000Hz / 92dB



VSW04-1006

- 10" Subwoofer
- Rubber Edge / IMPP Cone
- 250 Watts Max / 1.5" ASV
- 40 OZ Magnet / 4 (8) Ohm
- 40Hz-2500Hz / 92dB



ERS



VSW04-1205

- 12" Subwoofer
- Rubber Edge / Ceramics Cone
- 400 Watts Max / 2" KSV
- 40 OZ Magnet / 4 (8) Ohm
- 25Hz-2000Hz / 94dB

VSW04-8005

- 8" Subwoofer
- Rubber Edge / Ceramics Cone
- 300 Watts Max / 1.5" KSV
- 30 OZ Magnet / 4 (8) Ohm
- 40Hz-3000Hz / 92dB

VSW04-1005

- 10" Subwoofer
- Rubber Edge / Ceramics Cone
- 350 Watts Max / 1.5" KSV
- 30 OZ Magnet / 4 (8) Ohm
- 30Hz-2500Hz / 92dB

VSW04-1012

- 10" Subwoofer
- Rubber Edge / IMPP Cone
- 300 Watts Max / 2" ASV
- 50 OZ Magnet / 4 (8) Ohm
- 40Hz-2500Hz / 92dB

VSW04-1212

- 12" Subwoofer
- Rubber Edge / IMPP Cone
- 400 Watts Max / 2" ASV
- 65 OZ Magnet / 4 (8) Ohm
- 30Hz-2000Hz / 93dB



« CAR SPEA »

VST04-4003

- 4" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 120 Watts Max / 1" Voice Coil
- 6 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 88dB



VST04-6003

- 6" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 120 Watts Max / 1" Voice Coil
- 6 OZ Magnet / 4 Ohm
- 50Hz -20KHz / 88dB



VST04-6903

- 6 x 9" 4-way Car Speaker
- IMPP Cone Woofer / 50mm Tweeter
Two Piezo Super Tweeter
- 200 Watts Max / 1" Voice Coil
- 25 OZ Magnet / 4 Ohm
- 40Hz -20KHz / 90dB

KER

VST04-5003

- 5" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 120 Watts Max / 1" Voice Coil
- 6 OZ Magnet / 4 Ohm
- 80Hz -20KHz / 88dB



VST04-6503

- 6.5" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 45Hz -20KHz / 90dB



<< CAR SPEA >>



VST04-4004

- 4" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 90 dB

VST04-5004

- 5" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 80Hz -20KHz / 90 dB



Swivel Tweeter



KER



VST04-6004

- 6" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 180 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 60Hz -20KHz / 90dB



VST04-6504

- 6.5" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 200 Watts Max / 1" Voice Coil
- 13 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 90dB

VST04-6904

- 6 x 9" 2-way Car Speaker
- IMPP Cone Woofer / 63mm Tweeter
- 300 Watts Max / 1.5" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 50Hz -20KHz / 92dB



« CAR SPEA »



VST04-4001

- 4" 3-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
Piezo Super Tweeter
- 150 Watts Max / 1" Voice Coil
- 6 OZ Magnet / 4 Ohm
- 90 Hz -20 KHz / 88 dB



VST04-5001

- 5" 3-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
Piezo Super Tweeter
- 150 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 80 Hz -20 KHz / 88 dB



VST04-6501

- 6.5" 4-way Car Speaker
- IMPP Cone Woofer / 40mm Tweeter
Piezo Super Tweeter
- 180 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 65 Hz -20 KHz / 90 dB



VST04-6901

- 6 x 9" 4-way Car Speaker
- IMPP Cone Woofer / 65mm Midrange
28mm Tweeter / Piezo Super Tweeter
- 200 Watts Max / 1" Voice Coil
- 25 OZ Magnet / 4 Ohm
- 55 Hz -20 KHz / 90 dB

KER



VST04-4002

- 4" 2-way Car Speaker
- Paper Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 100Hz -20KHz / 88 dB



VST04-5002

- 5" 2-way Car Speaker
- Paper Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 88 dB



VST04-6502

- 6.5" 3-way Car Speaker
- Paper Cone Woofer / 50mm Tweeter
Piezo Super Tweeter
- 180 Watts Max / 1" Voice Coil
- 13 OZ Magnet / 4 Ohm
- 65Hz -20KHz / 90 dB



VST04-6902

- 6 x 9" 3-way Car Speaker
- Paper Cone Woofer / 65mm Tweeter
Piezo Super Tweeter
- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 92dB

<< CAR SPEA >>

VST04-4011

- 4" 2-way Car Speaker
- PP Cone Woofer / 28mm Tweeter
- 120 Watts Max / 1" Voice Coil
- 5.4 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 89dB



VST04-5011

- 5" 2-way Car Speaker
- PP Cone Woofer / 28mm Tweeter
- 120 Watts Max / 1" Voice Coil
- 5.4 OZ Magnet / 4 Ohm
- 80Hz -20KHz / 89dB



VST04-6011

- 6" 3-way Car Speaker
- PP Cone Woofer / 35mm Tweeter
Piezo Super Tweeter
- 150 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 65Hz -20KHz / 90dB

VST04-6911

- 6 x 9" 3-way Car Speaker
- PP Cone Woofer / 50mm Midrange
28mm Tweeter
- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 92dB



KER



VST04-6012A

- 6" 3-way Car Speaker
- IMPP Cone Woofer / 50mm Midrange 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 65Hz -20KHz / 90dB



VST04-5012

- 5" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 120 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 80Hz -20KHz / 89dB



VST04-4012

- 4" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 100 Watts Max / 1" Voice Coil
- 5.4 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 89dB



VST04-6012

- 6" 2-way Car Speaker
- IMPP Cone Woofer / 50mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 65Hz -20KHz / 90dB



VST04-6912

- 6 x 9" 3-way Car Speaker
- IMPP Cone Woofer / 60mm Midrange 28mm Tweeter
- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 92dB

VST04-6912A

- 6 x 9" 4-way Car Speaker
- IMPP Cone Woofer / 60mm Midrange 28mm Tweeter / Piezo Super Tweeter
- 250 Watts Max / 1" Voice Coil
- 30 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 92dB

« CAR SPEA »



VST04-4005

- 4" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 100 Watts Max / 1" Voice Coil
- 5 OZ Magnet / 4 Ohm
- 100Hz -20KHz / 88dB



VST04-5005

- 5" 3-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- Piezo Super Tweeter
- 100 Watts Max / 1" Voice Coil
- 5 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 88dB



VST04-6505

- 6.5" 3-way Car Speaker
- IMPP Cone Woofer / 40mm Tweeter
- Piezo Super Tweeter
- 150 Watts Max / 1" Voice Coil
- 11 OZ Magnet / 4 Ohm
- 60Hz -20KHz / 90dB



VST04-6905

- 6 x 9" 4-way Car Speaker
- IMPP Cone Woofer / 63mm Midrange
- 40mm Tweeter / Piezo Super Tweeter
- 180 Watts Max / 1" Voice Coil
- 15 OZ Magnet / 4 Ohm
- 50Hz -20KHz / 92dB

KER

VST04-6506

- 6.5" 3-way Car Speaker
- IMPP Cone Woofer / 50mm Tweeter
Piezo Super Tweeter
- 180 Watts Max / 1" Voice Coil
- 13 OZ Magnet / 4 Ohm
- 60Hz -20KHz / 90dB



VST04-5006

- 5" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 80Hz -20KHz / 88dB



VST04-4006

- 4" 3-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 100Hz -20KHz / 88dB



VST04-6906

- 6 x 9" 3-way Car Speaker
- IMPP Cone Woofer / 60mm Midrange
28mm Tweeter

- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 50Hz -20KHz / 92dB



« CAR SPEA »



VST04-6507

- 6.5" 3-way Car Speaker
- IMPP Cone Woofer / 50mm Tweeter
Piezo Super Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 70Hz -20KHz / 88dB

VST04-6907

- 6 x 9" 3-way Car Speaker
- IMPP Cone Woofer / 60mm Tweeter
Piezo Super Tweeter
- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 60Hz -20KHz / 90dB

VST04-4007

- 4" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 120 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 100Hz -20KHz / 88dB

VST04-5007

- 5" 2-way Car Speaker
- IMPP Cone Woofer / 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 88dB



VST04-6008

- 6" 2-way Car Speaker
- IMPP Cone Woofer/ 28mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 90dB

VST04-6908

- 6 x 9" 3-way Car Speaker
- IMPP Cone Woofer /60mm
Midrange / 28mm Tweeter
- 200 Watt Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 50Hz -20KHz / 92dB

KER



VST04-6509

- 6.5" 2-way Car Speaker
- PP Cone Woofer / 50mm Tweeter
- 150 Watts Max / 1" Voice Coil
- 10 OZ Magnet / 4 Ohm
- 65Hz -20KHz / 88dB



VST04-6910

- 6 x 9" 3-way Car Speaker
- IMPP Cone Woofer / 65mm Midrange / 28mm Tweeter
- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 60Hz -20KHz / 92dB



VST04-6909

- 6 x 9" 4-way Car Speaker
- PP Cone Woofer / 65mm Midrange / 28mm Tweeter / Piezo Super Tweeter
- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 92dB



VST04-6909A

- 6 x 9" 5-way Car Speaker
- PP Cone Woofer/ 65mm Midrange / 28mm Tweeter/ Piezo Super Tweeter
- 200 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 92dB

<< CAR COMP >>



VS04-C6501

- 6.5" Component Speaker
- 6.5" PP Cone Woofer
- 1" Neodymium Dome Tweeter
- Surface . Angle or Flush Swivel Mounting outboard crossover Network Included
- 150 Watts Max / 1" Voice Coil
- 20 OZ Magnet / 4 Ohm
- 55Hz -20KHz / 90dB

VS04-C5001

- 5" Component Speaker
- 5" PP Cone Woofer
- 1" Neodymium Dome Tweeter
- Surface . Angle or Flush Swivel Mounting outboard crossover Network Included
- 80 Watts Max / 0.75" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 90Hz -20KHz / 88dB

VS04-C4001

- 4" Component Speaker
- 4" PP Cone Woofer
- 1" Neodymium Dome Tweeter
- Surface . Angle or Flush Swivel Mounting outboard crossover Network Included
- 80 Watts Max / 0.75" Voice Coil
- 8 OZ Magnet / 4 Ohm
- 100Hz -20KHz / 88dB

VS04-C6902

- 6 x 9" Component Speaker
- 6 x 9" IMPP Cone Woofer
- 1" Neodymium Dome Tweeter
- Surface . Angle or Flush Swivel Mounting outboard crossover Network Included
- 200 Watts Max / 1" Voice Coil
- 30 OZ Magnet / 4Ohm
- 45Hz -20KHz / 90dB



ONENTS



VS04-C5002

- 5" Component Speaker
- 5" IMPP Cone Woofer
- 1" Neodymium Dome Tweeter
- Surface . Angle or Flush Swivel Mounting
- outboard crossover Network Included
- 150 Watts Max/ 1" Voice Coil
- 8 OZ Magnet / 4Ohm
- 80Hz -20KHz / 88dB



VS04-C4002

- 4" Component Speaker
- 4" IMPP Cone Woofer
- 1" Neodymium Dome Tweeter
- Surface . Angle or Flush Swivel Mounting
- outboard crossover Network Included
- 150 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4Ohm
- 90Hz -20KHz / 88dB



VS04-C6502

- 6.5" Component Speaker
- 6.5" IMPP Cone Woofer
- 1" Neodymium Dome Tweeter
- Surface . Angle or Flush Swivel Mounting
- outboard crossover Network Included
- 150 Watts Max / 1" Voice Coil
- 8 OZ Magnet / 4Ohm
- 55Hz -20KHz / 88dB



STAGE SPE



VS-861

- 8" Woofer
- 18 OZ Magnet
- 1" ASV
- Tweeter: 3" x 8" / 3" x 3" x 2
- SPL: 90dB
- Impedance: 8 Ohm
- Max Power: 300 W



VS-1061

- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- Tweeter: 3" x 8" / 3" x 3" x 3
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 350 W



VS-1561

- 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- Tweeter: 4" x 12" / 3.5" x 3.5" x 4
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 450 W

AKER BOXES

VS-1261

- 12" Woofer
- 50 OZ Magnet
- 2" ASV
- Tweeter: 4" x 10"
3" x 3" x 4
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 400 W



VS-1861

- 18" Woofer
- 80 OZ Magnet
- 3" ASV
- Tweeter: 5" x 15"
3.5" x 3.5" x 5
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 500 W

VS-1001

- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- Tweeter: 4" x 10"
3.5" x 3.5"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 400 W



STAGE SPE



VS-1031B



VS-1031

VS-1031

- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- Tweeter: 3" x 8" / 3" x 3"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 350 W

VS-1031B


- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- Tweeter: 4" x 10"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 400 W

VS-1231

- 12" Woofer
- 50 OZ Magnet
- 2" ASV
- Tweeter: 7" x 14"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 400 W



VS-1831B



VS-1231

VS-1831B

- 18" Woofer
- 80 OZ Magnet
- 3" ASV
- Tweeter: 8" x 18"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 500 W

AKER BOXES



VS-831

- 8" Woofer
- 18 OZ Magnet
- 1" ASV
- Tweeter: 3" x 8" / 3" x 3" x 2
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 300 W



VS-1831

- 18" Woofer
- 80 OZ Magnet
- 3" ASV
- Tweeter: 10" x 18"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 500 W

VS-1531

- 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- Tweeter: 7" x 14"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 450 W

STAGE SPE



VS-1851



VS-1551

VS-1851

- 2 x 18" Woofer
- 80 OZ Magnet
- 3" ASV
- Tweeter: 10" x 18" / 3.5" x 3.5" x 6
- SPL: 92dB
- Impedance: 8 Ohm
- Max power: 750 W

VS-1551


- 2 x 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- Tweeter: 6" x 17" / 3.5" x 3.5 x 5
- SPL: 91dB
- Impedance: 8 Ohm
- Max power: 650 W

VS-1051

- 2 x 10" Woofer
- 30 OZ Magnet
- 2" ASV
- Tweeter: 4" x 12" / 3.5" x 3.5" x 4
- SPL: 92dB
- Impedance: 8 Ohm
- Max power: 450 W

VS-1251

- 2 x 12" Woofer
- 50 OZ Magnet
- 2" ASV
- Tweeter: 5" x 12" / 3.5" x 3.5" x 4
- SPL: 91dB
- Impedance: 8 Ohm
- Max power: 600 W



VS-1251



VS-1051

AKER BOXES



VS-1232



VS-1032

VS-1232

- 12" Woofer
- 50 OZ Magnet
- 2" ASV
- Tweeter: 6" x 12" 3.5" x 3.5" x 4
- SPL: 91dB
- Impedance: 8 Ohm
- Max power: 400 W

VS-1032

- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- Tweeter: 4" x 12" / 3" x 3" x 4
- SPL: 91dB
- Impedance: 8 Ohm
- Max power: 350 W

VS-1532

- 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- Tweeter: 6" x 17" / 3.5" x 3.5" x 5
- SPL: 91dB
- Impedance: 8 Ohm
- Max power: 450 W

VS-1832

- 18" Woofer
- 80 OZ Magnet
- 3" ASV
- Tweeter: 10" x 18" 3.5" x 3.5" x 6
- SPL: 92dB
- Impedance: 8 Ohm
- Max power: 500 W



VS-1532



VS-1832

STAGE SPE



VS-1233

- 12" Woofer
- 50 OZ Magnet
- 2" ASV
- Tweeter: 7" x 14"
- SPL: 91dB
- Impedance: 8 Ohm
- Max power: 400 W

VS-1533

- 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- Tweeter: 7" x 15"
- SPL: 91dB
- Impedance: 8 Ohm
- Max power: 450 W

VS-1033

- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- Tweeter: 4" x 10"
- SPL: 90dB
- Impedance: 8 Ohm
- Max power: 350 W

AKER BOXES



VS-1534

- 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- Tweeter: 5" x 15"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 400 W



VS-1204

- 12" Woofer
- 30 OZ Magnet
- 1.5" ASV
- Tweeter: 5" x 15"
- SPL: 90dB
- Impedance: 8 Ohm
- Max Power: 300 W



VS-1552

- 2 x 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- Tweeter: 7" x 14"
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 600 W

BOOM BO



VSBX-1201

- 12" Woofer
- 50 OZ Magnet
- 2" 4-Layer ASV
- SPL: 91dB
- Impedance: 4/8 Ohm
- Max Power: 600 W
- Size: 360x600x380mm



VSBX-1001

- 10" Woofer
- 40 OZ Magnet
- 1.5" 4-Layer ASV
- SPL: 90dB
- Impedance: 4/8 Ohm
- Max Power: 400W
- Size: 335x600x385mm

VSBX-1202

- 12" Woofer
- 40 OZ Magnet
- 2" ASV
- SPL: 91dB
- Impedance: 4/8 Ohm
- Max Power: 300 W
- Size: 340x480x330mm

VSBX-1002

- 10" Woofer
- 30 OZ Magnet
- 1.5" ASV
- SPL: 90dB
- Impedance: 4/8 Ohm
- Max Power: 200 W
- Size: 290x430x320mm



VSBX-1203

- 2x12" Woofer
- 65 OZ Magnet
- 2.5" 4-Layer ASV
- SPL: 90dB
- Impedance: 4/8 Ohm
- Max Power: 1000 W
- Size: 380x825x380mm



VSBX-1003

- 2x10" Woofer
- 50 OZ Magnet
- 2" 4-Layer ASV
- SPL: 90dB
- Impedance: 4/8 Ohm
- Max Power: 800W
- Size: 360x665x435mm

VSBX-1204

- 2x12" Woofer
- 50 OZ Magnet
- 2" ASV
- SPL: 90dB
- Impedance: 4/8 Ohm
- Max Power: 400 W
- Size: 350x740x345mm

VSBX-1004

- 2x10" Woofer
- 40 OZ Magnet
- 1.5" ASV
- SPL: 90dB
- Impedance: 4/8 Ohm
- Max Power: 300 W
- Size: 300x640x320mm



VS-871

- 8" Woofer
- 18 OZ Magnet
- 1" ASV
- Midrange : 3"
- Tweeter: 4"
- SPL: 90dB
- Impedance: 4 Ohm
- Max Power: 180 W



VS-671

- 6" Woofer
- 10 OZ Magnet
- 0.76" ASV
- Midrange: 3"
- Tweeter: 4"
- SPL: 90dB
- Impedance: 4 Ohm
- Max Power: 120 W



VS-573

- 5" Woofer
- Midrange Tweeter: 4" x 2
- 1" ASV
- SPL: 91dB
- Impedance: 4 Ohm
- Max Power: 150 W

VS-872

- 8" Woofer
- 18 OZ Magnet
- 1" ASV
- Tweeter: 2" x 5" x 2 3" x 2
- SPL: 91dB
- Impedance: 4 Ohm
- Max Power: 250 W



VS-672

- 6 1/2" Woofer
- 10 OZ Magnet
- 0.76" ASV
- Tweeter: 3" x 5 1/2"
- SPL: 92dB
- Impedance: 4 Ohm
- Max Power: 200 W



STAGE SPE

VSX04-404

- 4" 3-Way Speaker box
- Foam edge paper cone woofer
Piezo Tweeter
- Max Power: 60 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 100~18 KHz
- SPL: 90dB
- Magnet: 5.4OZ
- Size: 140 x 120 x 210mm



VSX04-404A

- 4" 3-Way Speaker box
- Foam edge paper cone woofer
Piezo Tweeter
- Max Power: 60 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 100~18 KHz
- SPL: 90dB
- Magnet: 5.4 OZ
- Size: 140 x 120 x 210mm

VSX04-406

- 4" 3-Way Speaker box
- Foam edge paper cone woofer
Piezo Tweeter
- Max Power: 60 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 100~18 KHz
- SPL: 90dB
- Magnet: 5.4 OZ
- Size: 120 x 115x188mm



AKER BOXES

VSX04-307

- 3.5" 3-Way Speaker box
- Foam edge paper cone woofer
28mm Tweeter
- Max Power: 40 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 100~19 KHz
- SPL: 88dB
- Magnet: 5.4OZ
- Size: 180 x 110x 100mm



VSX04-303

- 3.5" 2-Way Speaker box
- Foam edge paper cone woofer
- Max Power: 60 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 100~19KHz
- SPL: 90dB
- Magnet: 5.4 OZ
- Size: 110 x 100 x 205mm

VSX04-508

- 5" 2-Way Speaker box
- Foam edge paper cone woofer
28mm Tweeter
- Max Power: 80 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 90~19KHz
- SPL: 90dB
- Magnet: 8 OZ
- Size: (75+180) x 140 x 240mm



STAGE SPE



VSX04-401

- 4" 2-Way Speaker box
- Foam edge paper cone woofer
- Max Power: 60 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 90~20KHz
- SPL: 90dB
- Magnet: 5.4 OZ
- Size: 140 x 120 x 210mm

VSX04-501

- 5" 2-Way Speaker box
- Foam edge paper cone woofer
- Max Power: 80 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 80~20KHz
- SPL: 90dB
- Magnet: 8 OZ
- Size: 155 x 160 x 235mm



VSX04-801

- 8" 2-Way Speaker box
- Foam edge paper cone woofer
- Max Power: 160 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 50~20KHz
- SPL: 90dB
- Magnet: 20 OZ
- Size: 550 x 395 x 225mm

AKER BOXES



VSX04-802

- 8" 2-Way Speaker box
- Foam edge paper cone woofer
- Max Power: 150 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 50~18KHz
- SPL: 90dB
- Magnet: 13 OZ
- Size: 265 x 255 x 450mm



VSX04-502

- 5" 2-Way Speaker box
- Foam edge paper cone woofer
- Max Power: 80 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 80~18KHz
- SPL: 90dB
- Magnet: 8 OZ
- Size: 170 x 160 x 275mm



VSX04-405

- 4" 2-Way Speaker box
- Foam edge paper cone woofer
28mm Tweeter
- Max Power: 50 Watts
- Impedance: 4 or 8 Ohm
- Freq.Resp.: 95-20KHz
- SPL: 90dB
- Magnet: 5.4 OZ
- Size: 150 x 130 x 190mm

STAGE SPE



VS-1292

- 12" Woofer
- 50 OZ Magnet
- 2" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 300 W



VS-892

- 8" Woofer
- 18 OZ Magnet
- 1" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 200 W



VS-1092

- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 250 W



VS-1592

- 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 350 W

AKER BOXES



VS-891

- 8" Woofer
- 18 OZ Magnet
- 1" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 200 W



VS-1291

- 12" Woofer
- 50 OZ Magnet
- 2" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 300 W



VS-1091

- 10" Woofer
- 30 OZ Magnet
- 2" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 250 W



VS-1591

- 15" Woofer
- 50 OZ Magnet
- 2.5" ASV
- SPL: 91dB
- Impedance: 8 Ohm
- Max Power: 350 W



宁波市鄞州和诚电子有限公司
NINGBO COTRON INDUSTRY CO., LTD.

地址:宁波市鄞州区下应镇东裕新村林家工业区

TEL: +86-574-88240021 88242680

FAX: +86-574-88242680

M.T.:13008906383

E-mail:vigasound@yahoo.com.cn